

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	301836	(time near4 (deliver\$5 or transmit\$5 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:40
L17	131355	data near3 (sequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:40
L18	1091	16 with 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:27
L19	28	18 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:27
L20	2463	16 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:28
L21	92	20 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:29
L22	89	21 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:29
L23	340767	(tim\$5 near4 (deliver\$5 or transmit\$5 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:28
L24	2880	23 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:29

EAST Search History

L25	2441	24 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:41
L26	114	25 and "710"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:36
L27	118978	determin\$6 near3 (sequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:48
L28	23300	determin\$6 near6 time near6 (deliver\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:41
L29	232	27 with 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:41
L30	196	29 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:42
L31	57	29 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:42
L32	46	31 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:58
L36	210	dependant near3 (sequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:48
L37	13	independant near3 (sequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:48

EAST Search History

L38	39	independant near6 (sequenc\$5 or order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:48
L39	761	dependant near6 (sequenc\$5 or order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:49
L40	6	39 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:57
L47	0	mode with (speed\$5 or time) with sequenc\$5 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:57
L48	0	mode with (speed\$5 or time) with sequenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:57
L49	8412	mode with (speed\$5 or time) with sequenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:58
L50	1544	mode with (speed\$5 or time) with sequenc\$5 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:58
L51	284	50 with (deliver\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:58
L52	243	51 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:36
L53	342	710/35.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:15

EAST Search History

L54	7	L53 and ((combin\$5 or merg\$5or coale\$6) near4 (packet or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:15
L55	254	(stor\$5 near5 time) same (by\$1pass\$5 near5 stor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:26
L56	228	55 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:56
L57	8	56 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:36
L58	25701	delay near3 path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:56
L59	32625	direct near3 path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:56
L60	41	58 with 59 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:56
S1	2697	optim\$7 with time near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:19
S2	2253	optim\$7 with (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:16
S3	147	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:09

EAST Search History

S4	98	S1 same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:09
S5	35131	optim\$7 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:51
S7	286	optim\$7 with data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 11:55
S8	242	S7 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:20
S9	381	optim\$7 with data near3 time near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 11:55
S10	333	S9 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 11:56
S11	28	S8 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:20
S12	655	mode with data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:36
S13	1429	mode with data near3 time near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:36
S14	48	S12 and S13 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 11:56

EAST Search History

S15	38665	data near3 time near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:36
S16	21170	data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:25
S17	4140	minimiz\$5 near3 latenc\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:25
S18	20135	by\$1pass\$5 with (stor\$7 or memory or buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:37
S19	108	S15 and S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:38
S20	238	S15 and S16 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:40
S21	14	S19 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:38
S22	34	S15 same S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:40
S23	24	S16 same S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:40
S24	342	710/35.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:26

EAST Search History

S26	34184	((determin\$5 or select\$5) near4 (mode or type)) with (deliver\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:51
S27	16	S24 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:28
S28	100	S26 same latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:52
S29	263695	bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:52
S30	458	S26 same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:55
S31	209	S26 with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:15
S32	43	S26 with latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:15
S33	21	S28 same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:55
S34	13033	mode with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:32
S35	3464	mode with latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:15

EAST Search History

S36	184	S34 same S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:16
S37	143	S34 with S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:20
S38	114	S37 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:19
S39	563844	(order\$5 or reorder\$5 or sequenc\$5) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:18
S40	299807	(order\$5 or reorder\$5 or sequenc\$5) near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:20
S41	586	S40 with before near4 (deliver\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:20
S42	493	S41 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:21
S43	1	S41 with minim\$5 near4 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:21
S44	131355	(sequenc\$5) near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:20
S45	279	S44 with (before near4 (deliver\$5 or transmit\$5 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:24

EAST Search History

S46	246	S45 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:27
S47	2	S41 same (minim\$5 near4 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:21
S48	1	S45 same (minim\$5 near4 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:21
S49	676	S40 same ((combin\$5 or merg\$5or coale\$6) near4 (packet or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:22
S50	103	channel near3 optimiz\$6 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:30
S51	23	S50.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:30
S52	83	S50 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:31
S53	3	S50 and latency with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:33
S54	0	S50 same latency with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:32
S55	5	S50 and latency and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:33

EAST Search History

S56	0	S50 same latency same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:33
-----	---	---------------------------------	---	----	----	------------------